

FIG. 4




FIG. 5




FIG. 6




FIG. 7

**User Maintenance**

File Amin

**User List**

First I CILCO  
fredo o cilcouser

Name 88  
Last: First: MI

Employee ID: Login ID: Reset Password

Access Level:  
Market Trader

Default View  
CPEXView 98 100 102 104

Close Refresh New Update Delete Help

Edit Primary Contracts View Secondary Contracts Review Path Status

106

FIG. 8

108

110

**Contacts**

File Amin

Participant: Oklahoma Public Power

Control Center Supervisor

name: John Schmaltz  
phone: 217-424-0023  
fax: 217-424-0022

CPEX System Administrator

name: Deborah Billson  
phone: 217-425-8899  
fax: 217-425-1212

Accounting

name: Dennis Swell  
phone: 217-424-3131  
fax: 217-424-3232

Refresh Update Close

112

FIG. 9

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

-

▼ ▲

### Edit Primary Contract Display

CILCO can Sell to:

Participant Type: \*\*All\*\* ▼

**No Contract With:**

ASSOC-Associato Electricidad Supplicanto  
BREC-Big River Electric Company  
CIPS-Central Illinois Power  
CSW-CENTRAL AND SOUTHWEST  
CWLP-Crisp Waters Light and Power  
DPL-Dayton Power & Light Company  
EMPIRE-Empire Electric  
ENTERGY-Entergy

Add>>

<<Remove

Select All

Clear All

**Contract With:**

Select All

Clear All

CILCO can Wheel for:

Participant Type: \*\*All\*\* ▼

**No Contract With:**

ASSOC-Associato Electricidad Supplicanto  
BREC-Big River Electric Company  
CIPS-Central Illinois Power  
CSW-CENTRAL AND SOUTHWEST  
CWLP-Crisp Waters Light and Power  
DPL-Dayton Power & Light Company  
EMPIRE-Empire Electric  
ENTERGY-Entergy

Add>>

<<Remove

Select All

Clear All

**Contract With:**

Select All

Clear All

Close

Help

FIG. 10

-

▼ ▲

### View Secondary Contract Display for CILCO

Participant Type: NIA ▼

**Contracts to Buy From:**

**Contracts to Use Wheelers:**

Close

Help

FIG. 11

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

Review Contract Path Status Display for CILCO

List Filters

Seller: 
Link: 
Buyer: 
Path Status:

#	Path (s-w-w-w-w-b)	Status	Start Date	End Date
1	ASSOC>OPPD>MDW>IIGE>IP>CWLP>CILCO			
2	CILCO>CWLP>IP>IIGE>MDW>OPPD>ASSOC			
3	CILCO>IP>IIGE>MDW>ISTATE>SJLP>LES			
4	LES>SJLP>ISTATE>MDW>IIGE>IP>CILCO			
5	CILCO>IP>IIGE>MDW>KCPL>ASSOC>EMPIRE			
6	EMPIRE>ASSOC>KCPL>MDW>IIGE>IP>CILCO			
7	CILCO>IP>IIGE>MDW>KCPL>EMPIRE>SWEPCO			
8	SWEPCO>EMPIRE>KCPL>MDW>IIGE>IP>CILCO			
9	ASSOC>NPPD>MDW>ISTATE>IIGE>IP>CILCO			
10	CILCO>IP>IIGE>ISTATE>MDW>NPPD>ASSOC			
11	CILCO>CIPS>IP>IIGE>ISTATE>KCPL>OPPD			
12	OPPD>KCPL>ISTATE>IIGE>IP>CIPS>CILCO			
13	BREC>SIPCO>CIPS>CWLP>IP>CILCO			
14	CILCO>IP>CWLP>CIPS>SIPCO>BREC			

Path Status: 
Starting Date: 
Time: 
Ending Date: 
Time:

FIG. 12

FIG. 13

124

CIPS-Market Open

Please confirm transmission limits

Interface Name	Max In	Max Out	Limit In	Limit Out
CILC	400	200	150	200
SIPC	175	400	100	200
IPC	250	250	200	200
CWLP	375	200	300	200

0

126 Confirm

128

CIPS-Market View Hour Ending: 900

Buy Sell Buy Market Sell Market Schedule

138 140 142 144 146

134 136

148

B/S	MWh	N/I	Interface
Buy	0	0	100
Sell	0	(0)	150
Net	0	0	100
Wheel	0	0	100

300 In 0 0 Out 300

☐ CILC  
☐ CWLP  
☐ IPC  
☐ SIPC

152

© Text ○ Graph MWh ○ Graph \$

:02 Transmission Future Market Reveal Current Next Reports Logout Help

130

132

FIG. 14

APPROVED BY DRAFTSMAN	O.G. FIG.	
	CLASS	SUBCLASS




FIG. 15a

	MWhs	\$	PI
Buy	0	0	100
Sell	0	(0)	
Net	0	0	
Wheel	0	0	100

FIG. 15b

154 — ☒ Text   ☐ Graph MWh   ☐ Graph \$




FIG. 15c

☐ Text    ☒ Graph MWh    ☐ Graph \$

156




FIG. 15d

☐ Text   ☐ Graph MWh   ☒ Graph \$

158




FIG: 15e

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

ACONT.101C1  
8 of 29

140
138

Buy
Sell
Buy Market
Sell Market
Schedule

Offers-Not Yet Taken
Withdraw

MWh	\$/MWh	N/I	#Viewers

Add Offers:

MWh	\$/MWh	N/I	Usage Fee

160

↑
↓

Send  
Add  
Delete

Buy
Sell
Buy Market
Sell Market
Schedule

Offers-Not Yet Taken
Withdraw

MWh	\$/MWh	N/I	#Viewers

Add Offers:

MWh	\$/MWh	N/I

↑
↓

Send  
Add  
Delete

B/S	MWh	N/I	Interface

	MWhs	\$	PI
Buy	0	0	100
Sell	0	(0)	
Net	0	0	
Wheel	0	0	100

300 In
0 Out

☐ CILC  
☐ CWLP  
☐ IPC  
☐ SIPC

☐  
☐  
☐  
☐

↑
↓

:02

Transmission
Future Market
Reveal
○ Current
⊙ NextReports
Logout
Help

FIG. 16



CIPS-Market View Hour Ending: 900

Buy Sell Buy Market Sell Market Schedule

Withdraw

MWh \$/MWh N/I #Viewers

				↑
				↓

Add Offers:

162

MWh \$/MWh N/I Usage Fee

				↑
				↓

164

Send  
Add  
Delete

Buy Sell Buy Market Sell Market Schedule

Withdraw

MWh \$/MWh N/I #Viewers

				↑
				↓

Add Offers:

20

MWh \$/MWh N/I

20	15.00		↑		↓
20	15.00		↓		↓
20			↓		↓

Send  
Add  
Delete

B/S MWh N/I Interface

			↑
			↓

	MWhs	\$	PI
Buy	0	0	100
Sell	0	(0)	
Net	0	0	
Wheel	0	0	100

Ⓢ Text Ⓢ Graph MWh Ⓢ Graph \$

300 In 0 0 Out 300

☐ CILC  
☐ CWLP  
☐ IPC  
☐ SIPC

↑  
↓

:02
Transmission
Future Market
Reveal
Ⓢ Current
Ⓢ NextReports
Logout
Help

FIG. 17

Buy Confirmation

Confirm the following transactions to be placed on the Market?

MWh	\$/MWh	N/I
20	15.00	
20	15.50	
20	16.00	

Confirm

Cancel

166 FIG. 18 168






FIG. 20

CIPS-Market View Hour Ending: 900

Buy Sell Buy Market Sell Market Schedule

☒ Interruptible ☐ Non-Interruptible

MWh	\$/MWh	#Viewers	PI	Interface
45	16.10	10	95	SIPC
32	16.05	12	86	IPC
110	15.88	7	82	IPC
35	15.76	8	93	IPC
12	15.72	16	78	CWLP
64	15.53	11	84	CWLP
50	15.38	11	91	CILC
42	15.05	13	94	IPC

MW Filter... \$/MWh Filter...

Show All Show All

Buy Sell Buy Market Sell Market Schedule

☒ Interruptible ☐ Non-Interruptible

MWh	\$/MWh	#Viewers	PI	Interface
15	16.40	18	92	CWLP
30	16.55	12	88	SIPC
33	16.68	13	84	SIPC
125	16.70	8	93	CILC
140	16.75	4	92	CWLP
87	16.83	6	87	IPC
10	16.98	16	90	CILC
92	17.05	7	89	IPC

MW Filter... \$/MWh Filter...

Show All Show All

B/S MWh N/I Interface

B/S	MWh	N/I	Interface
Buy	0		
Sell	0		
Net	0		
Wheel	0		

MWhs \$ PI

Buy	0	0	100
Sell	0	(0)	
Net	0	0	
Wheel	0	0	100

300 In 0 0 Out 300

☐ CILC ☐ CWLP ☐ IPC ☐ SIPC

☒ Text ☐ Graph MWh ☐ Graph \$


:08 Transmission Future Market Reveal ☐ Current ☒ Next  Reports Logout Help

FIG. 21

182

Sell Confirmation

Confirm you want to sell the following transactions?

MWh	\$/MWh	N/I
45	16.10	I
32	16.05	I

FIG. 22

CIPS-Market View Hour Ending: 900

Buy	Sell	Buy Market	Sell Market	Schedule
<input checked="" type="radio"/> Interruptible <input type="radio"/> Non-Interruptible <input type="button" value="Sell"/>				
MWh	\$/MWh	#Viewers	PI	Interface
110	15.88	7	82	IPC
35	15.76	8	93	IPC
12	15.72	16	78	CWLP
64	15.53	11	84	CWLP
50	15.38	11	91	CILC
42	15.05	13	94	IPC
125	15.02	5	88	SIPC
20	14.90	14	93	CILC

MW Filter...   \$/MWh Filter...    184

Buy	Sell	Buy Market	Sell Market	Schedule
<input checked="" type="radio"/> Interruptible <input type="radio"/> Non-Interruptible <input type="button" value="Buy"/>				
MWh	\$/MWh	#Viewers	PI	Interface
15	16.40	18	92	CWLP
30	16.55	12	88	SIPC
33	16.68	13	84	SIPC
125	16.70	8	93	CILC
140	16.75	4	92	CWLP
87	16.83	6	87	IPC
10	16.98	16	90	CILC
92	17.05	7	89	IPC

MW Filter...   \$/MWh Filter...  

B/S	MWh	N/I	Interface
S	45	I	SIPC
S	32	I	IPC

	MWhs	\$	PI
Buy	0	0	100
Sell	77	(1238)	
Net	77	(1238)	
Wheel	0	0	100

300 In 0 0 Out 300

☐ CILC   ☐ CWLP   ☐ IPC   ☐ SIPC

☒ Text   ☐ Graph MWh   ☐ Graph \$


:08            ☐ Current   ☒ Next           

FIG. 23

Market Filters

MWh...   \$/MWh...

☒ Show All   ☒ Show All

☐ >=   ☐ <=   ☐ >=   ☐ <=

FIG. 24

Market Filters

MWh...   \$/MWh...

☐ Show All   ☐ Show All

☐ >=   ☒ <=   ☐ >=   ☒ <=

FIG. 25

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

ACONT.101C1  
14 of 29

196

Hour Ending: 900
194

Buy
Sell
Buy Market
Sell Market
Schedule

☒ Interruptible   ☐ Non-Interruptible

MWh	\$/MWh	#Viewers	PI	Interface
110	15.88	7	82	IPC
35	15.76	8	93	IPC
12	15.72	16	78	CWLP
64	15.53	11	84	CWLP
50	15.38	11	91	CILC
42	15.05	13	94	IPC
125	15.02	5	88	SIPC
20	14.90	14	93	CILC

MW Filter...  
Show All

\$/MWh Filter...  
Show All

Buy
Sell
Buy Market
Sell Market
Schedule

☒ Interruptible   ☐ Non-Interruptible

MWh	\$/MWh	#Viewers	PI	Interface
15	16.40	18	92	CWLP
30	16.55	12	88	SIPC
33	16.68	13	84	SIPC
10	16.98	16	90	CILC
40	17.10	10	91	IP
25	17.20	12	78	SIPC
62	17.25	8	89	SIPC
55	17.32	9	84	IP

MW Filter...  
≤75

\$/MWh Filter...  
≤17.50

B/S	MWh	N/I	Interface
S	45	I	SIPC
S	32	I	IPC

	MWhs	\$	PI
Buy	0	0	100
Sell	77	(1238)	
Net	77	(1238)	
Wheel	0	0	100

300 In
0 Out
300

☐ CILC  
☐ CWLP  
☐ IPC  
☐ SIPC

☒ Text   ☐ Graph MWh   ☐ Graph \$

:08   Transmission   Future Market   Reveal   ☐ Current   ☒ Next

FIG. 26

559080" 4T569E60

196

CIPS-Market View Hour Ending: 900
198

☒ Interruptible   ☐ Non-Interruptible  

MWh	\$/MWh	#Viewers	PI	Interface
110	15.88	7	82	IPC
35	15.76	8	93	IPC
12	15.72	16	78	CWLP
64	15.53	11	84	CWLP
50	15.38	11	91	CILC
42	15.05	13	94	IPC
125	15.02	5	88	SIPC
20	14.90	14	93	CILC

MW Filter...

\$/MWh Filter...

Buy Transactions

MWh	\$/MWh	N/I	Interface

Curtail

Sell Transactions

MWh	\$/MWh	N/I	Interface
45	16.10	1	SIPC
32	16.05	1	IPC

Curtail

B/S MWh N/I Interface

S	45	1	SIPC
S	32	1	IPC

MWhs \$ PI

Buy	0	0	100
Sell	77	(1238)	
Net	77	(1238)	
Wheel	0	0	100

☒ Text   ☐ Graph MWh   ☐ Graph \$

☐ Current   ☒ Next

:09
202

FIG. 27

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

ACONT.101C1  
16 of 29

CIPS-Market View Hour Ending: 900

Link Transmission

204

Interface	Interface	MWh	\$/MWh	Total\$	#Trans
CILC	CWLP	0	1.50	0.00	22
CILC	IPC	0	2.00	0.00	19
CILC	SIPC	0	2.00	0.00	20
CWLP	IPC	0	2.00	0.00	17
CWLP	SIPC	0	1.50	0.00	29
IPC	SIPC	0	2.50	0.00	38

B/S	MWh	N/I	Interface
S	45	I	SIPC
S	32	I	IPC

	MWhs	\$	PI
Buy	0	0	100
Sell	77	(1238)	
Net	77	(1238)	
Wheel	0	0	100

300 In
0 Out
300

☐ CILC
 ☐ CWLP
 ☐ IPC
 ☐ SIPC

☒ Text
 ☐ Graph MWh
 ☐ Graph \$

:12
Market
Future Market
Reveal
☐ Current ☒ Next
Reports
Logout
Help

FIG. 28



APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

ACONT.101C1  
17 of 29

CIPS-Market View Hour Ending: 900
▽ ▲

Link
Transmission

206

Interfaces	Max		Market Limit		Available		Scheduled Activity			
	In	Out	In	Out	In	Out	Transactions		Wheeling	
	In	Out	In	Out	In	Out	In	Out	In	Out
CILC	400	400	150	250	150	250	0	0	0	0
CWLP	350	375	300	250	300	250	0	0	0	0
IPC	500	500	250	250	250	218	0	32	0	0
SIPC	325	325	100	250	100	205	0	45	0	0

Limit

Neighbor

Update

208

B/S	MWh	N/I	Interface
S	45	I	SIPC
S	32	I	IPC

	MWhs	\$	PI
Buy	0	0	100
Sell	77	(1238)	
Net	77	(1238)	
Wheel	0	0	100

300
In 0
0 Out 300

☐ CILC

☐ CWLP

☐ IPC

☐ SIPC

⊙ Text ○ Graph MWh ○ Graph \$

:12

Market

Future Market

Reveal

○ Current ⊙ Next

Reports

Logout

Help

FIG. 29

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

ACONT.101C1  
18 of 29

CIPS-Market View Hour Ending: 900
▼ ▲

Link
Transmission

Interfaces	Max		Market Limit		Available		Scheduled Activity				
	In	Out	In	Out	In	Out	Transactions		Wheeling		
							In	Out	In	Out	
CILC	400	400	150	250	90	250	0	0	60	0	▲
CWLP	350	375	300	250	300	250	0	0	0	0	□
IPC	500	500	250	250	250	218	0	32	0	0	□
SIPC	325	325	100	250	100	145	0	45	0	60	▼

Limit   
 Neighbor

Update

150

152

B/S	MWh	N/I	Interface
S	45	I	SIPC
S	32	I	IPC

	MWhs	\$	PI
Buy	0	0	100
Sell	77	(1238)	
Net	77	(1238)	
Wheel	60	(120)	100

300 In 0 0 Out 300  

☐ CILC  
☐ CWLP  
☐ IPC  
☐ SIPC

☐  
☐  
☐  
☐

:16
Market
Future Market
Reveal
○ Current ◎ Next
Reports
Logout
Help

FIG. 30

CIPS-Market View Hour Ending: 900

Link

Transmission

Interface	Interface	MWh	\$/MWh	Total\$	#Trans
CILC	CWLP	0	1.50	0.00	22
CILC	IPC	0	2.00	0.00	19
CILC	SIPC	60	2.00	120.00	19
CWLP	IPC	0	2.00	0.00	17
CWLP	SIPC	0	1.50	0.00	29
IPC	SIPC	0	2.50	0.00	38

B/S	MWh	N/I	Interface
S	45	I	SIPC
S	32	I	IPC

	MWhs	\$	PI
Buy	0	0	100
Sell	77	(1238)	
Net	77	(1238)	
Wheel	60	(120)	100

300 In 0
0 Out 300

☐ CILC  
☐ CWLP  
☐ IPC  
☐ SIPC

☐  
☐  
☐  
☐

:16

Market
Future Market
Reveal
○ Current
⊙ Next

☐ Text
 ☐ Graph MWh
 ☐ Graph \$

☐ CILC  
☐ CWLP  
☐ IPC  
☐ SIPC

214
216
218
220

CIPS-Schedule

Next hour transaction schedule is:

Buy Transactions

MWh	\$/MWh	N/I	Interface	210
45	16.10	I	SIPC	
32	16.05	I	IPC	

Sell Transactions

MWh	\$/MWh	N/I	Interface	212
45	16.10	I	SIPC	
32	16.05	I	IPC	

Transmission

Interface	MWh	Direction
CILC	60	Received
CWLP	0	
IPC	32	Delivered
SIPC	105	Delivered

Net MWh

Delivered

77

Confirm

FIG. 32

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

ACONT.101C1  
20 of 29

Future Markets Setup
▼ ▲

Add Buy Offer:

MWh	\$/MWh	N/I	
35	14.00	I	▲
50	13.25	I	
			▼

Transmission Service \$//MWh:

Interface	Interface	Cost	
CILC	CWLP	1.50	▲
CILC	IPC	2.00	
CILC	SIPC	2.00	
CWLP	IPC	2.00	
CWLP	SIPC	1.50	
IPC	SIPC	2.50	▼

Add Sell Offer:

MWh	\$/MWh	N/I	Usage Fee	
40	17.50	I		▲
40	17.50	I		
30	19.00	I		
85	28.00	I		▼

Transmission Limits MWh:

Interface Name	Max In	Max Out	Limit In	Limit Out	
CILC	400	400	150	250	▲
CWLP	350	375	300	250	
IPC	500	500	250	250	
SIPC	325	325	100	250	▼

FIG. 33

**CIPS-Reveal**

Next hour transaction schedule is:

Buy Transactions

MWh	\$/MWh	N/I	S-W-W-W-B

Sell Transactions

MWh	\$/MWh	N/I	S-W-W-W-B
45	16.10	I	CIPS-SIPC
32	16.05	I	CIPS-IPC-IIGE-MPSI

Wheeling Transactions

MWh	\$/MWh	S-W-W-W-B
60	2.00	CILC-CIPS-SIPC-BREC

Net MWh

FIG. 34




FIG. 35

00369517.080699




FIG. 36

**Initiate Curtail**

Confirm the following curtail for the Current Hour:

B/S	MWh	\$/MWh	Interface
Buy	50	22.30	IIGE

Current Time: 11:16  
Start Ramp at: 20 242  
Ramp for: ☐ 0 Minutes } 244  
                  ☒ 10 Minutes }

Integrated:

B/S	MWh	\$	Interface
Buy	21	468.30	IIGE

246

248      250

FIG. 37

**Acknowledge Curtail**

The following transaction is curtailed for the Current Hour:

B/S	MWh	\$/MWh	Interface
Sell	50	20.00	IPC

Start Ramp at: 11:20  
Ramp for: 10

Integrated:

B/S	MWh	\$	Interface
Sell	21	420.00	IPC

254

FIG. 38

FIG. 39

256

Acknowledge Failure

Please call:

Central Illinois Public Service Co.  
 (555) 662-5489

Immediately to inform them of curtailment  
of the following transaction: 258

B/S	MWh	\$/MWh	Interface
Buy	50	22.30	IIGE

OK

260

FIG. 40

Acknowledge Curtail

The following transaction is curtailed in the  
Current Hour:

B/S	MWh	Interface	Interface
Wheel	50	MPSI	IPC

Start Ramp at: 11:20  
Ramp for: 10

Integrated:

MWh	\$	Interface	Interface
21	27.30	MPSI	IPC

Acknowledge

FIG. 41

Acknowledge Curtail

The following transaction is curtailed in the  
Current Hour:

B/S	MWh	Interface	Interface
Wheel	50	IIGE	CIPS

Start Ramp at: 11:20  
Ramp for: 10

Integrated:

MWh	\$	Interface	Interface
21	21.00	IIGE	CIPS

Acknowledge




FIG. 43

Transmission										
Interfaces	Max		Market Limit		Available		Scheduled Activity			
							Transactions		Wheeling	
	In	Out	In	Out	In	Out	In	Out	In	Out
MPSI	400	350	200	350	200	200	0	100	0	50
IPC	500	350	150	350	33	350	0	0	117	0
IPW	700	700	200	250	160	183	40	0	0	67

Limit: 150 Neighbor: 180 Update 262

264

FIG. 44

Initiate Curtail

Confirm the following curtail for the Current Hour:

B/S	MWh	Interface	Interface
Wheel	50	IPC	MPSI
Wheel	67	IPC	IPW

Current Time: 11:16

Start Ramp at: 20 268

Ramp for: ☒ 0 Minutes ☐ 10 Minutes 270

Integrated:

MWh	\$	Interface	Interface
17	22.10	IPC	MPSI
22	28.60	IPC	IPW

Confirm 274 Cancel 276



-

Acknowledge Curtail

▽

△

The following transaction is curtailed  
for the Current Hour:

B/S	MWh	Interface	Interface
Wheel	67	IIGE	CIPS

Start Ramp at: 11:20

Ramp for: 0

Integrated:

MWh	\$	Interface	Interface
22	22.00	IIGE	CIPS

Acknowledge

FIG. 45

FIG. 46

Acknowledge Curtail			
The following transaction is curtailed for the Current Hour:			
B/S	MWh	\$/MWh	Interface
Sell	50	20.00	IPC
Start Ramp at: 11:20			
Ramp for: 0			
Integrated:			
B/S	MWh	\$	Interface
Sell	17	340.00	IPC
Acknowledge			

FIG. 47

Acknowledge Curtail			
The following transaction is curtailed for the Current Hour:			
B/S	MWh	\$/MWh	Interface
Sell	67	21.25	IPC
Start Ramp at: 11:20			
Ramp for: 0			
Integrated:			
B/S	MWh	\$	Interface
Sell	22	467.50	IPC
<div style="border: 1px solid black; display: inline-block; padding: 5px 20px;">Acknowledge</div>			

FIG. 48

[illegible]

**Acknowledge Curtail**

The following transaction is curtailed for the Current Hour:

B/S	MWh	\$/MWh	Interface
Buy	50	22.30	IIGE

Start Ramp at: 11:20  
Ramp for: 0

Integrated:

B/S	MWh	\$	Interface
Buy	17	379.10	IIGE

**Acknowledge**

FIG. 49

**Acknowledge Curtail**

The following transaction is curtailed for the Current Hour:

B/S	MWh	\$/MWh	Interface
Buy	67	23.55	IIGE

Start Ramp at: 11:20  
Ramp for: 0

Integrated:

B/S	MWh	\$	Interface
Buy	22	518.10	IIGE

**Acknowledge**

FIG. 50

**Acknowledge Failure**

Please call:

Central Illinois Public Service Co.  
(555) 662-5489

Immediately to inform them of curtailment of the following transaction:

B/S	MWh	\$/MWh	Interface
Buy	50	22.30	IIGE

**OK**

FIG. 51

**Acknowledge Failure**

Please call:

Central Illinois Public Service Co.  
(555) 662-5489

Immediately to inform them of curtailment of the following transaction:

B/S	MWh	\$/MWh	Interface
Buy	67	23.55	IIGE

**OK**

FIG. 52




FIG. 53

095947-0200-0000

Initiate Curtail

Confirm the following curtail for the Next Hour:

B/S	MWh	\$/MWh	Interface
Buy	50	22.30	IIGE

Confirm

Cancel

FIG. 54

Acknowledge Curtail

The following transaction is curtailed Next Hour:

B/S	MWh	\$/MWh	Interface
Sell	50	20.00	IPC

Acknowledge

FIG. 55

274

Acknowledge Curtail

The following transaction is curtailed Next Hour:

B/S	MWh	Interface	Interface
Wheel	50	MPSI	IPC

Acknowledge

FIG. 56

Acknowledge Curtail

The following transaction is curtailed Next Hour:

B/S	MWh	Interface	Interface
Wheel	50	IIGE	CIPS

Acknowledge

FIG. 57




FIG. 59

Transmission										
Interfaces	Max		Market Limit		Available		Scheduled Activity			
	In	Out	In	Out	In	Out	Transactions		Wheeling	
							In	Out	In	Out
MPSI	400	350	200	350	200	200	0	100	0	50
IPC	500	350	150	350	33	350	0	0	117	0
IPW	700	700	200	250	160	183	40	0	0	67
									280	

Limit

150

Neighbor

180

Update

278

Initiate Curtail

Confirm the following curtail for the Next Hour:

B/S	MWh	Interface	Interface
Wheel	50	IPC	MPSI
Wheel	67	IPC	IPW

Confirm

284

286

Cancel

FIG. 60




FIG. 61

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

ACONT.101C1  
29 of 29

FIG. 62





FIG. 63



0036517-080699